| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|--|---|---------------------|---------|------------------|
| L2 | 3 | ((integrated circuit) or (IC card)) near9 (generating near6 (key near5 (certificate))) . | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/23 12:03 |
| L3 | 451 | (generating near6 (key near5 (certificate))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/23 12:03 |
| L4 | 132 | (generating near6 (key near (certificate))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/23 12:03 |
| L5 | 34 | (generating near6 (key near (certificate))) and ((integrated circuit) or (IC card)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/23 13:08 |
| L6 | 9 | ((integrated circuit) or (IC card)) near9 (generating near6 ((key near pair) or (public near private near key) or (asymmetric key))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/23 15:20 |
| L7 | 0 | ((integrated circuit) or (IC card)) same (generating near6 ((key near pair) or (public near private near key) or (asymmetric key))) same ((common or symmetric) near key) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/23 15:23 |
| L8 | 9 | ((integrated circuit) or (IC card)) and(generating near6 ((key near pair) or (public near private near key) or (asymmetric key))) same ((common or symmetric) near key) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON . | 2007/01/23 15:23 |
| L9 | 9 | ((integrated circuit) or (IC card)) and (generating near6 ((key near pair) or (public near private near key) or (asymmetric key))) same ((common or symmetric) near key) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/23 15:23 |
| S1 | 824 | 713/193.ccls. • | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/17 13:08 |

| S2 | 457 | 713/193.ccls. and @ad < "20010328" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/07 12:44 |
|-----------|-----------------|--|---|----|-----|------------------|
| S3 | 2 | (713/193.ccls. and @ad < "20010328") and ((Key near2 protect\$3) with certificat\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/01 14:10 |
| S4 | 19 | (713/193.ccls. and @ad < "20010328") and ((Key near2 protect\$3) with (device or card or "serial Number" or serial)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/01 14:21 |
| \$5 | 54 | ((key near2 instal\$4) with certificat\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/01 14:29 |
| S6 · | 29 | (((key near2 instal\$4) with certificat\$3)) and @ad < "20010328" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON. | 2004/10/01 15:39 |
| S7 | 206 | (certificat\$3 with (unaltered or unchanged or "manufacture near2 key" or right) with key) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/01 15:42 |
| S8 | 4 | (((certificat\$3 with (unaltered or unchanged or "manufacture near2 key" or right) with key)) and @ad < "20010328") and 713/193.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/01 15:43 |
| S9 | 86 | ((certificat\$3 with (unaltered or unchanged or "manufacture near2 key" or right) with key)) and @ad < "20010328" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/04 08:22 |
| S10 | 835 | certif\$4 with manufactur\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/04 08:23 |
| S11 | 4 92 | (certif\$4 with manufactur\$4) and @ad < "20010328" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/04 08:25 |

| S12 | 492 | (certif\$4 with manufactur\$4) and @ad < "20010328" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/04 11:18 |
|-----|-----|--|---|----|----|------------------|
| S13 | 6 | ((certif\$4 with manufactur\$4) and @ad < "20010328") and 713/193. ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/04 11:18 |
| S14 | 824 | 713/193.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/04 11:18 |
| S15 | 457 | 713/193.ccls. and @ad < "20010328" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/04 11:18 |
| S16 | 5 | (713/193.ccls. and @ad < "20010328") and "key protect\$" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/04 11:19 |
| S17 | 5 | (713/193.ccls. and @ad < "20010328") and "key protection" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/04 11:51 |
| S18 | 0 | (713/193.ccls. and @ad < "20010328") and ("key protection" with certificat\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/04 13:18 |
| S19 | 457 | (713/193.ccls. and @ad < "20010328") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/04 13:19 |
| S20 | 48 | ((713/193.ccls. and @ad < "20010328")) and ((symmetric or common) adj key) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/04 13:20 |
| S21 | 19 | (((713/193.ccls. and @ad < "20010328")) and ((symmetric or common) adj key)) and (key with certificat\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/04 13:21 |

| | | | | | • | |
|-----|---|--|---|----|----|------------------|
| S22 | 2 | (((((713/193.ccls. and @ad < "20010328")) and ((symmetric or common) adj key)) and (key with certificat\$3)) and ((encipher or cipher or encrypt\$3) with ("data structure" or "data block" or "data packet")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/04 13:22 |
| S23 | 1 | (((((((713/193.ccls. and @ad < "20010328")) and ((symmetric or common) adj key)) and (key with certificat\$3)) and ((encipher or cipher or encrypt\$3) with ("data structure" or "data block" or "data packet"))) and "digital signature") and ("digital signature" with ("serial number" or identification)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/04 13:23 |
| S24 | 1 | ((((((((((((((((((((((((((((((((((((((| US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/04 13:23 |
| S25 | 2 | ((((((713/193.ccls. and @ad < "20010328")) and ((symmetric or common) adj key)) and (key with certificat\$3)) and ((encipher or cipher or encrypt\$3) with ("data structure" or "data block" or "data packet"))) and "digital signature" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/04 16:26 |
| S26 | 2 | ((((((713/193.ccls. and @ad < "20010328")) and ((symmetric or common) adj key)) and (key with certificat\$3)) and ((encipher or cipher or encrypt\$3) with ("data structure" or "data block" or "data packet"))) and "digital signature" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/04 16:27 |
| S27 | 2 | (((((((713/193.ccls. and @ad < "20010328")) and ((symmetric or common) adj key)) and (key with certificat\$3)) and ((encipher or cipher or encrypt\$3) with ("data structure" or "data block" or "data packet"))) and "digital signature") and decrypt | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/04 16:27 |

| S28 | 2 | (((((((713/193.ccls. and @ad < "20010328")) and ((symmetric or common) adj key)) and (key with certificat\$3)) and ((encipher or cipher or encrypt\$3) with ("data structure" or "data block" or "data packet"))) and "digital signature") and decrypt\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/04 16:27 |
|-----|-----|---|---|----|----|------------------|
| S29 | 2 | ((((((((((1713/193.ccls. and @ad < "20010328")) and ((symmetric or common) adj key)) and (key with certificat\$3)) and ((encipher or cipher or encrypt\$3) with ("data structure" or "data block" or "data packet"))) and "digital signature") and decrypt\$3) and symmetric | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/05 15:41 |
| S30 | 825 | 713/193.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/05 15:41 |
| S31 | 458 | 713/193.ccls. and @ad < "20010328" • | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/05 15:41 |
| S32 | 252 | ("smart card" or SIM) with "serial number" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/05 15:42 |
| S33 | 2 | (713/193.ccls. and @ad < "20010328") and ("smart card" or SIM) with "serial number" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/05 16:32 |
| S34 | 0 | (713/193.ccls. and @ad < "20010328") and ("key protect\$4 certificat\$4") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/05 16:33 |
| S35 | 0 | (713/193.ccls. and @ad < "20010328") and ("key certificat\$4") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/05 16:33 |
| S36 | 33 | (713/193.ccls. and @ad < "20010328") and (key near2 certificat\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/05 16:33 |

| | | | _ | | | |
|-----|------|--|---|------|----|------------------|
| S37 | . 17 | ((713/193.ccls. and @ad < "20010328") and (key near2 certificat\$4)) and "smart card" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/05 16:35 |
| S38 | 9 | (((713/193.ccls. and @ad < "20010328") and (key near2 certificat\$4)) and "smart card") and ("data structure" or "data block" or "data packet") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/06 11:50 |
| S39 | 319 | "smart card" same ("serial number" or "device name") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/06 11:51 |
| S40 | 314 | "smart card" same ("serial number") • | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2004/10/06 11:51 |
| S41 | 156 | ("smart card" same ("serial number")) and @ad < "20010328" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2004/10/06 11:52 |
| S42 | 33 | (("smart card" same ("serial number")) and @ad < "20010328") and ("serial number" with (encrypt\$3 or encipher\$3 or scrambl\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/06 11:53 |
| S43 | . 0 | ((("smart card" same ("serial number")) and @ad < "20010328") and ("serial number" with (encrypt\$3 or encipher\$3 or scrambl\$3))) and (("data block" or "data structure" or "data packet") with ("serial number" and "digital signature" and certificat\$4)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/06 11:56 |
| S44 | | ((("smart card" same ("serial number")) and @ad < "20010328") and ("serial number" with (encrypt\$3 or encipher\$3 or scrambl\$3))) and (("data block" or "data structure" or "data packet") with ("serial number")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/06 11:56 |
| S45 | 427 | (("data block" or "data structure" or "data packet") with ("serial number")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/06 11:57 |

| | | • | | | | |
|-----|------------|--|---|----|------|------------------|
| S46 | 4 | (("data block" or "data structure" or "data packet") with ("serial number" and certificat\$)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/06 11:57 |
| S47 | 1 | ((("data block" or "data structure" or "data packet") with ("serial number" and certificat\$))) and ("serial number" with (encrypt\$3 or encipher\$3 or scrambl\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON . | 2004/10/07 12:43 |
| S48 | 827 | 713/193.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/07 12:44 |
| S49 | 458 | 713/193.ccls. and @ad < "20010328" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/07 12:48 |
| S50 | 120 | reject\$3 near3 certificat\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/07 12:48 |
| S51 | 66 | (reject\$3 near3 certificat\$3) and @ad < "20010328" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/07 12:49 |
| S52 | . 2 | "6209091".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/07 18:15 |
| S53 | 2 | "6189097".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/07 18:16 |
| S54 | 2 | "6005942".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/07 18:16 |

| | | | | * | | |
|-----|------|--|---|------|----|------------------|
| S55 | 2 | (((((((((13/193.ccls. and @ad < "20010328")) and ((symmetric or common) adj key)) and (key with certificat\$3)) and ((encipher or cipher or encrypt\$3) with ("data structure" or "data block" or "data packet"))) and "digital signature") and decrypt\$3) and symmetric | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/04 16:28 |
| S56 | 4653 | certificat\$3 near2 key | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/17 13:09 |
| S57 | 30 | certificat\$3 near2 key near2 protect\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/17 13:16 |
| S58 | 2 | "6005942".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/17 13:17 |
| S59 | 18 | ("6005942").URPN. | USPAT | OR | ON | 2005/05/17 13:31 |
| S60 | 158 | ((device near2 key) near3 (authenticat\$3 or verificat\$3)) | USPAT | OR | ON | 2005/05/17 13:32 |
| S61 | 29 | ((device near2 key) near3 (authenticat\$3 or verificat\$3)) same (signature or "digital signature" or certificat\$3) | USPAT | OR . | ON | 2005/05/17 14:16 |
| S62 | 4 | (("device key") near3 (authenticat\$3 or verificat\$3)) same (signature or "digital signature" or certificat\$3) | USPAT | OR . | ON | 2005/05/17 14:18 |
| S63 | 20 | (("device key") near3 (authenticat\$3 or verificat\$3)) | USPAT | OR | ON | 2005/05/17 14:23 |
| S68 | 566 | "key verification" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/17 14:26 |
| S69 | 16 | "key verification" same (device or card or SIM) same integrity | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/17 14:27 |

| S70 | 6 | ("6209091" "6189097" "6005942"). pn. • | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/18 17:48 |
|-----|-----|---|---|-----|----|------------------|
| S71 | 2 | "5623546".pn. • | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/18 17:52 |
| S72 | 2 | "6751735".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/19 05:58 |
| S73 | 92 | ("5210795" "5204902" "5659616" "6367013" "6738912" "6823454" "6826690" "6061,448" "6061448" "5825300" "6189096" "6256741" "5265164" "6148405" "5796841" "6134328" "6311218" "6615349" "6892302" "5701343" "6748531" "6233685" "6148404" "4868877" "5005200" "5214702" "5901227" "5958051" "5982898" "6385728" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/19 05:58 |
| | | "6058383" "6212504" "6212504" "6230266" "5220604" "6202151" "6233341" "6310966" "6367009" "6601171" "6671804" "6742114" "6775782" "6789193" "5864667" "6111953" "5923756" "6198824" "6072876" "6085320").pn. | | | | |
| S75 | 2 | ep-807911-\$.did. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/01/04 15:20 |
| S76 | 155 | ("hash value" or "message digest" or digest or "message authentiation code" or "MAC") same (compare or match) near9 ("serial number" or "serial No" or identifier) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/01/04 15:23 |
| S77 | 19 | ("hash value" or "message digest" or digest or "message authentiation code" or "MAC") same (compare or match) near9 ("serial number" or "serial No") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/01/04 16:46 |

| S78 | 3 | "4309569".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/01/05 06:57 |
|-----|--------|--|---|-----|------|------------------|
| S79 | 648 | (decrypt\$4 or decipher\$4) same (compar\$4) same (received) same (signature or digest or certificate) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/01/05 06:59 |
| S80 | 37 | (decrypt\$4 or decipher\$4) same (compar\$4) same (received near9 (identifier or identification)) same (signature or digest or certificate) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON . | 2006/01/05 07:30 |
| S81 | . 2 | "6314521".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/01/05 08:37 |
| S82 | 2 | ep-807911-\$.did. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/01/05 08:37 |
| S83 | 4237 | KEY CERTIFICATE | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/22 15:57 |
| S84 | 642 | key near integrity | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/22 15:58 |
| S85 | 288 | key near integrity and ((digital signature) or certificate) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/22 16:10 |
| S87 | 657037 | integrated circuit | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/22 16:10 |
| S88 | 0 | (integrated circuit) same (key near5 protction near8 (certificate or signature)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/22 16:12 |

| S89 | 195 | (integrated circuit) same (key near5 (certificate or signature)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/22 16:20 |
|-----|-----|---|---|-----|----|------------------|
| S90 | 23 | ((integrated circuit) or (IC card)) near9 (generating near6 (key near5 (certificate or signature))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/23 12:01 |